

## Refine Search

### Search Results -

Terms	Documents
3036887	1

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
**EPO Abstracts Database**  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L129





### Search History

DATE: Tuesday, February 12, 2008    [Purge Queries](#)    [Printable Copy](#)    [Create Case](#)

Set Name	Query	Hit Count	Set Name
side by side			result set
	DB=EPAB; PLUR=YES; OP=OR		
<u>L129</u>	3036887	1	<u>L129</u>
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L128</u>	03036887	6	<u>L128</u>
<u>L127</u>	03036881	4	<u>L127</u>
<u>L126</u>	1513302	9	<u>L126</u>
	DB=PGPB; PLUR=YES; OP=OR		
<u>L125</u>	US-20050193061-A1.did.	1	<u>L125</u>
	DB=EPAB; PLUR=YES; OP=OR		
<u>L124</u>	WO-2004102438-A2.did.	1	<u>L124</u>
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L123</u>	2004102438	5	<u>L123</u>
<u>L122</u>	2002102438	3	<u>L122</u>
<u>L121</u>	L115 and L120	20	<u>L121</u>

<a href="#">L120</a>	xml and L119	105	<a href="#">L120</a>
<a href="#">L119</a>	((rout\$3 or pass\$3 or exchange\$3) near message\$3) and L118	166	<a href="#">L119</a>
<a href="#">L118</a>	L87 and L117	297	<a href="#">L118</a>
<a href="#">L117</a>	business near message\$3	1477	<a href="#">L117</a>
<a href="#">L116</a>	L114 and L115	7	<a href="#">L116</a>
<a href="#">L115</a>	(abstract\$3 or api or application near interface) near message	1291	<a href="#">L115</a>
<a href="#">L114</a>	xml and L113	98	<a href="#">L114</a>
<a href="#">L113</a>	L87 and L112	237	<a href="#">L113</a>
<a href="#">L112</a>	((rout\$3 or pass\$3 or exchange\$3) near message\$3) with rules	991	<a href="#">L112</a>
<a href="#">L111</a>	@pd<20040312 and L110	19	<a href="#">L111</a>
<a href="#">L110</a>	namespace and L109	100	<a href="#">L110</a>
<a href="#">L109</a>	xml near tag with (abstract\$3 or api or application near interface or defin\$5)	759	<a href="#">L109</a>
<a href="#">L108</a>	xml near tag with ((receiver or recipient) near message)	1	<a href="#">L108</a>
<a href="#">L107</a>	xml near tag with ((receiver or recipient) near message)	0	<a href="#">L107</a>
<a href="#">L106</a>	xml near tag with (defin\$5 near ((receiver or recipient) near message))	0	<a href="#">L106</a>
<a href="#">L105</a>	xml near tag with ((defin\$5 or receiver or recipient) near message)	6	<a href="#">L105</a>
<a href="#">L104</a>	xml near namespace with message\$3	33	<a href="#">L104</a>
<a href="#">L103</a>	xml near namespace and L102	2	<a href="#">L103</a>
<a href="#">L102</a>	L87 and L100	118	<a href="#">L102</a>
<a href="#">L101</a>	namespace and L100	48	<a href="#">L101</a>
<a href="#">L100</a>	defin\$5 with ((context or object) near message)	501	<a href="#">L100</a>
<a href="#">L99</a>	@pd<20040312 and L98	43	<a href="#">L99</a>
<a href="#">L98</a>	L95 and L97	82	<a href="#">L98</a>
<a href="#">L97</a>	(transparent\$2 or abstract\$3 or interface near application or api) near message	1718	<a href="#">L97</a>
<a href="#">L96</a>	L93 and L95	11	<a href="#">L96</a>
<a href="#">L95</a>	(message near (content or context or object)) with (datastore or database or storage or repository)	2065	<a href="#">L95</a>
<a href="#">L94</a>	namespace and L93	11	<a href="#">L94</a>
<a href="#">L93</a>	(transparent\$2 or abstract\$3 or interface near application or api) with (access near message)	105	<a href="#">L93</a>
<a href="#">L92</a>	(name and namespace) with (message near (content or context or object))	6	<a href="#">L92</a>
<a href="#">L91</a>	namespace and L90	4	<a href="#">L91</a>
<a href="#">L90</a>	@pd<20040312 and L88	147	<a href="#">L90</a>
<a href="#">L89</a>	re\$1us\$3 with (message near (content or context or object))	37	<a href="#">L89</a>
<a href="#">L88</a>	(transparent\$2 or abstract\$3 or interface near application or api) with (message near (content or context or object))	330	<a href="#">L88</a>
<a href="#">L87</a>	L82 or L83 or L84 or L85 or L86	56718	<a href="#">L87</a>
<a href="#">L86</a>	(719/313  719/314  719/315).ccls.	1931	<a href="#">L86</a>
<a href="#">L85</a>	(715/513  715/733  715/734  715/737  715/738  715/740  715/749  715/760).ccls.	2162	<a href="#">L85</a>

<a href="#">L84</a>	(709/201  709/202  709/203  709/204  709/205  709/206  709/207  709/217  709/218  709/219).ccls.	27228	<a href="#">L84</a>
<a href="#">L83</a>	(705/26  705/27).ccls.	7483	<a href="#">L83</a>
<a href="#">L82</a>	(705/1  705/2  705/3  705/4  705/5  705/6  705/7  705/8  705/9  705/10  705/11).ccls.	20492	<a href="#">L82</a>
<i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>			
<a href="#">L81</a>	SCHLARB-UWE!	4	<a href="#">L81</a>
<a href="#">L80</a>	SCHLARB-UWE!	4	<a href="#">L80</a>
<a href="#">L79</a>	HILLENBRAND-THEA!	2	<a href="#">L79</a>
<a href="#">L78</a>	HILLENBRAND-THEA!	2	<a href="#">L78</a>
<a href="#">L77</a>	BEUNINGS-FRANK!	3	<a href="#">L77</a>
<a href="#">L76</a>	BEUNINGS-FRANK!	3	<a href="#">L76</a>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<a href="#">L75</a>	L73 and L74	18	<a href="#">L75</a>
<a href="#">L74</a>	(abstract\$3 or transparen\$2 or wrap\$4) near message	1400	<a href="#">L74</a>
<a href="#">L73</a>	((web or application) near server) with run\$1time and messag\$3	780	<a href="#">L73</a>
<a href="#">L72</a>	@pd<20040312 and L71	16	<a href="#">L72</a>
<a href="#">L71</a>	run\$1time with (messag\$3 or business near process) near (java or application)	112	<a href="#">L71</a>
<a href="#">L70</a>	run\$1time with (messag\$3 or business near process) near java near application	0	<a href="#">L70</a>
<a href="#">L69</a>	@pd<20040312 and L68	31	<a href="#">L69</a>
<a href="#">L68</a>	run\$1time adj engine with (messag\$3 or business near process)	73	<a href="#">L68</a>
<a href="#">L67</a>	L65 and L66	6	<a href="#">L67</a>
<a href="#">L66</a>	run\$1time adj engine	960	<a href="#">L66</a>
<a href="#">L65</a>	((encapsulat\$3 or wrap\$4) near messag\$4)	2732	<a href="#">L65</a>
<a href="#">L64</a>	business near message with (api or application near interface or abstract\$3)	33	<a href="#">L64</a>
<a href="#">L63</a>	business near message with (context or container or envelope)	33	<a href="#">L63</a>
<a href="#">L62</a>	6779184.pn.	2	<a href="#">L62</a>
<a href="#">L61</a>	677184.pn.	5	<a href="#">L61</a>
<a href="#">L60</a>	@pd<20040314 and L59	67	<a href="#">L60</a>
<a href="#">L59</a>	context near object with messag\$3	154	<a href="#">L59</a>
<a href="#">L58</a>	@pd<20040314 and L57	47	<a href="#">L58</a>
<a href="#">L57</a>	messag\$3 and L55	120	<a href="#">L57</a>
<a href="#">L56</a>	L53 and L55	1	<a href="#">L56</a>
<a href="#">L55</a>	context near object same (api or application near interface)	145	<a href="#">L55</a>
<a href="#">L54</a>	context near object with (api or application near interface)	72	<a href="#">L54</a>
<a href="#">L53</a>	abstract\$3 with message	2628	<a href="#">L53</a>
<a href="#">L52</a>	context near object same (name and namespace)	18	<a href="#">L52</a>
<a href="#">L51</a>	(context adj object) and L48	22	<a href="#">L51</a>
<a href="#">L50</a>	(context abj object) and L48	238	<a href="#">L50</a>
<a href="#">L49</a>	context abj object and L48	559637	<a href="#">L49</a>

<a href="#">L48</a>	context with receiv\$3 near application	238	<a href="#">L48</a>
<a href="#">L47</a>	@pd<20040312 and L46	264259	<a href="#">L47</a>
<a href="#">L46</a>	context abj object near repository	560313	<a href="#">L46</a>
<a href="#">L45</a>	L43 and L44	75	<a href="#">L45</a>
<a href="#">L44</a>	context with (abstract\$3 or re\$lus\$3)	3229	<a href="#">L44</a>
<a href="#">L43</a>	run\$1time with messag\$3 and L42	1350	<a href="#">L43</a>
<a href="#">L42</a>	context abj object with repository	562348	<a href="#">L42</a>
<a href="#">L41</a>	context near object same re\$lus\$3	70	<a href="#">L41</a>
<a href="#">L40</a>	@pd<20040312 and L39	77	<a href="#">L40</a>
<a href="#">L39</a>	(application near interface or api or dll) same(access\$3 near (message or pay\$1load))	174	<a href="#">L39</a>
<a href="#">L38</a>	@pd<20040312 and L37	26	<a href="#">L38</a>
<a href="#">L37</a>	messag\$3 and L34	139	<a href="#">L37</a>
<a href="#">L36</a>	L34 and L35	0	<a href="#">L36</a>
<a href="#">L35</a>	context near object same messag\$3	310	<a href="#">L35</a>
<a href="#">L34</a>	re\$lus\$1 with (api or application near interface)	206	<a href="#">L34</a>
<a href="#">L33</a>	@pd<20040312 and L32	70	<a href="#">L33</a>
<a href="#">L32</a>	abstract\$3 with message near (data or content or repository or stor\$3)	168	<a href="#">L32</a>
<a href="#">L31</a>	xml and L30	69	<a href="#">L31</a>
<a href="#">L30</a>	@pd<20040312 and L29	358	<a href="#">L30</a>
<a href="#">L29</a>	(message near context or context adj object) same (api or application near interface or interface)	873	<a href="#">L29</a>
<a href="#">L28</a>	L26 and L27	20	<a href="#">L28</a>
<a href="#">L27</a>	(message near context or context adj object)	4475	<a href="#">L27</a>
<a href="#">L26</a>	(message near (api or application near interface or interface)) same (message near (type or data near type or xsdl))	332	<a href="#">L26</a>
<a href="#">L25</a>	xml and L24	50	<a href="#">L25</a>
<a href="#">L24</a>	(message near context or context adj object) same (api or application near interface)	166	<a href="#">L24</a>
<a href="#">L23</a>	xml and L22	107	<a href="#">L23</a>
<a href="#">L22</a>	(message near context or context adj object) same (payload or (message near (data or content)))	248	<a href="#">L22</a>
<a href="#">L21</a>	@pd<20040312 and L20	41	<a href="#">L21</a>
<a href="#">L20</a>	xml and L19	207	<a href="#">L20</a>
<a href="#">L19</a>	message near (rout\$3 or dispatch\$3) same context	680	<a href="#">L19</a>
<a href="#">L18</a>	message near (rout\$3 or dispatch\$3) same name\$1space	29	<a href="#">L18</a>
<a href="#">L17</a>	message near name\$1space	27	<a href="#">L17</a>
<a href="#">L16</a>	(xml or name\$1space) and L15	124	<a href="#">L16</a>
<a href="#">L15</a>	(rout\$3 or dispatch\$3) with (context adj object or message near context)	234	<a href="#">L15</a>
<a href="#">L14</a>	(rout\$3 near configur\$6) same (context adj object or message near context)	3	<a href="#">L14</a>
<a href="#">L13</a>	(name\$1space) same (context adj object or message near context)	25	<a href="#">L13</a>
<a href="#">L12</a>	(name\$1space) with (context adj object or message near context)	10	<a href="#">L12</a>

<u>L11</u>	xml and L10	92	<u>L11</u>
<u>L10</u>	(name or namespace) with (context adj object or message near context)	274	<u>L10</u>
<u>L9</u>	(context adj object or message near context) with repository	42	<u>L9</u>
<u>L8</u>	business and L6	115	<u>L8</u>
<u>L7</u>	xml and L6	72	<u>L7</u>
<u>L6</u>	(creat\$3 or defin\$5) near (context adj object or message near context)	223	<u>L6</u>
<u>L5</u>	xml and L4	12	<u>L5</u>
<u>L4</u>	reus\$3 near (api or application near interfaces)	34	<u>L4</u>
<u>L3</u>	xpath and L2	4	<u>L3</u>
<u>L2</u>	reus\$3 with (api or application near interfaces)	266	<u>L2</u>
<u>L1</u>	20050091635	2	<u>L1</u>

END OF SEARCH HISTORY